




NO.	SPECIFICATION	Q' TY	REMARK
1	YP-80 PVC PLASTIC:50P BLACK	50g/PC	
2	FRAME WHITE	1PC	
3	H03VVH2-F 0.75/2C BLACK	1PC	1810±20(YL)
4	YC-13 TER	2PCS	
5	YC-13 H. S. G	1PC	
6	YC-13 PVC PLASTIC:50P BLACK	9g/PC	
7	MINI TIE:L=130mm BLACK	1PC	


TOLERANCE >0±0. 30	APPROVED		DATE			VIING	II C	תדו ח <del>'</del>	
	CHECKED		DATE			YUNG LI CO., LT		D	
>1. 0±0. 50 >10. 0±1. 0	DRAWN	SUKI	DATE	10.03	3. 11	CUSTOMER			
>20.0±2.0 Angle: ±1°	TYPE	YP-80/YC-13			P/N	ÒSI Í €ÈG			
	DRAWING NO.	CY-V040	)9	REV	В	MATERIAL	P. V. C	UNIT	mm
	DIMITING NO.	01 (04)		IVE A	Д	SCALE		<b>(</b>	





		APPROVED	1	DATE							
	TOLERANCE >0±0.30	CHECKED	1	OATE			YUNG LI CO., LT		D		
	>1. 0±0. 50 >10. 0±1. 0	DRAWN	1	DATE							
	>20.0±2.0	ТҮРЕ	YP-80				CUSTOMER	'OMER			
	Angle: ±1°	DRAWING NO. CY	CY-P80B10A		REV	В	MATERIAL	P. V. C	UNIT	mm	
							SCALE		$\bigoplus$		











TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0	APPROVED	蔣彦宏	DATE	06. 3. 1				
	CHECKED	黄海燕	DATE	06. 3. 1	YUNG LI CO., L'		TD.	
	DRAWN	黄方	DATE	06. 3. 1				
	TYPE	YC-13			P/N			
Angle: ±1°	THE	10 10	,		MATERIAL	P. V. C	UNIT	mm
	DRAWING NO.	CY-C13V			SCALE	1:1	<b>\Phi</b>	